

REFERENCES ON HERPETOFAUNAL SURVEY TECHNIQUES

Sampling Aquatic Amphibians

- Adams, M. J., K. O. Richter, and W. P. Leonard. 1997. Surveying and monitoring amphibians using aquatic funnel traps. Pages 47-54 in D. H. Olson, W. P. Leonard, and R. B. Bury, editors. Sampling amphibians in lentic habitats: methods and approaches for the Pacific Northwest. Society for Northwestern Vertebrate Biology, Olympia, Washington.
- Alvarez, J. A. 2004. Use of artificial egg laying substrate to detect California tiger salamanders (*Ambystoma californiense*). Herpetological Review 35:45-46.
- Bishop, D. C., J. G. Palis, K. M. Enge, D. J. Printiss, and D. J. Stevenson. 2006. Capture rate, body size, and survey recommendations for larval *Ambystoma cingulatum* (flatwoods salamanders). Southeastern Naturalist 5:9-16. [dipnetting]
- Buech, R. R., and L. M. Egeland. 2002. Efficacy of three funnel traps for capturing amphibian larvae in seasonal forest ponds. Herpetological Review 33:182-185. (http://ncrs.fs.fed.us/pubs/jrnl/2002/nc_2002_buech_001.pdf)
- Bury, R. B., and P. S. Corn. 1991. Sampling methods for amphibians in streams in the Pacific Northwest. Pages 1-29 in A. B. Carey and L. F. Ruggiero, editors. Wildlife-habitat relationships: sampling procedures for Pacific Northwest vertebrates. USDA Forest Service, Pacific Northwest Research Station General Technical Report PNW-GTR 275, Portland, Oregon.
- Carpenter, C. C. 1953. Trapping technique for aquatic salamanders. Herpetologica 8:183. [funnel traps]
- Crouch, W. B., and P. W. C. Paton. 2000. Using egg-mass counts to monitor wood frog populations. Wildlife Society Bulletin 28:895-901.
- Fellers, G. M., and K. L. Freel. 1995. A standardized protocol for surveying aquatic amphibians. USDI National Park Service Technical Report NPS/WRUC/NRTR-95-01. (<http://www.werc.usgs.gov/pt-reyes/pdfs/fellers2205.pdf>)
- Fronzuto, J., and P. Verrell. 2000. Sampling aquatic salamanders: tests of the efficiency of two funnel traps. Journal of Herpetology 146-147.
- Goin, C. J. 1942. A method for collecting the vertebrates associated with water hyacinths. Copeia 1942:183-184. [handheld dredge]
- Jenkins, C. L., K. McGarigal, and L. R. Gamble. 2002. A comparison of aquatic surveying techniques used to sample *Ambystoma opacum* larvae. Herpetological Review 33:33-35.
- Johnson, S. A., and W. J. Barichivich. 2004. A simple technique for trapping *Siren lacertina*, *Amphiuma means*, and other aquatic vertebrates. Journal of Freshwater Ecology 19:263-269. [modified crayfish traps]
- Lauck, R. 2004. Using aquatic funnel traps to determine relative density of amphibian larvae: factors influencing trapping. Herpetological Review 35:248-250.

- Luhring, T. M., and C. A. Young. 2006. Innovative technique for sampling stream-inhabiting salamanders. *Herpetological Review* 37:181-183.
- Moulton, J. M. 1954. Notes on the natural history, collection and maintenance of the salamander *Ambystoma maculatum*. *Copeia* 1954:64-65. [funnel traps]
- Mushet, D. M., N. H. Euliss, Jr., and B. H. Hanson. 1997. A funnel trap for sampling salamanders in wetlands. *Herpetological Review* 28:132-133.
(<http://www.npwrc.usgs.gov/resource/herps/funnel/index.htm>)
- Nickerson, M. A., and K. L. Krysko. 2003. Surveying for hellbender salamanders, *Cryptobranchus alleganiensis* (Daudin): a review and critique. *Applied Herpetology* 1:37-44.
- Nickerson, M. A., and C. E. Mays. 1973. A study of the Ozark hellbender *Cryptobranchus alleganiensis bishopi*. *Ecology* 54:1164-1165. [snorkeling]
- Richter, K. O. 1995. A simple aquatic funnel trap and its application to wetland amphibian monitoring. *Herpetological Review* 26:90-91.
- Shaffer, H. B., R. A. Alford, B. D. Woodward, S. J. Richards, R. G. Altig, and C. Gascon. 1994. Quantitative sampling of amphibian larvae. Pages 130-141 in W. R. Heyer, M. A. Donnelly, R. W. McDiarmid, L. C. Hayek, and M. S. Foster, editors. *Measuring and monitoring biological diversity: standard methods for amphibians*. Smithsonian Institution Press, Washington, D.C.
- Smith, G. R., and J. E. Rettig. 1996. Effectiveness of aquatic funnel traps for sampling amphibian larvae. *Herpetological Review* 27:190-191.
- Sorensen, K. 2003. Trapping success and population analysis of *Siren lacertina* and *Amphiuma means*. M.S. Thesis, University of Florida, Gainesville, Florida. 96pp. [modified crayfish traps]
- Sorensen, K. 2004. Population characteristics of *Siren lacertina* and *Amphiuma means* in North Florida. *Southeastern Naturalist* 3:249-258.
(<http://www.pwrc.usgs.gov/monmanual/techniques/crayfishtraps.htm>)
- Williams, R. D., J. E. Gates, and C. H. Hocutt. 1981. An evaluation of known and potential sampling techniques for hellbender, *Cryptobranchus alleghaniensis*. *Journal of Herpetology* 15:23-27.
[electrofishing]
- Willson, J. D., and M. E. Dorcas. 2003. Quantitative sampling of stream salamanders: comparison of dipnetting and funnel trapping techniques. *Herpetological Review* 34:128-130.
(http://www.uga.edu/srelherp/staff/JWillson2003_streamsalherprev.pdf)
- Willson, J. D., and M. E. Dorcas. 2004. A comparison of aquatic drift fences with traditional funnel trapping as a quantitative method for sampling amphibians. *Herpetological Review* 35:148-150.
- Waldron, J. L., C. K. Dodd, Jr., and J. D. Corser. 2003. Leaf litterbags: factors affecting capture of stream-dwelling salamanders. *Applied Herpetology* 1:23-36.
(<http://www.ahailey.f9.co.uk/appliedherpetology/specimen.pdf>)
- Weddeling, K., M. Hachtel, U. Sander, and D. Tarkhnishvili. 2004. Bias in estimation of newt population size: a field study at five ponds using drift fences, pitfalls and funnel traps. *Herpetology*

Journal 14:1-7.

Wilson, J. J., and T. J. Maret. 2002. A comparison of two methods for estimating the abundance of amphibians in aquatic habitats. *Herpetological Review* 33:108-110.

Pitfall Trapping

- Banta, B. H. 1957. A simple trap for collecting desert reptiles. *Herpetologica* 13:174-176.
- Bury, R. B., and P. S. Corn. 1987. Evaluation of pitfall trapping in northwestern forests: trap arrays with drift fences. *Journal of Wildlife Management* 51:112-119.
- Bury, R. B., and M. G. Raphael. 1983. Inventory methods for amphibians and reptiles. Pages 416-419 *in* J. Bell and T. Atterbury, editors. *Renewable resource inventories for monitoring changes and trends*. SAF 83-14. Oregon State University, Corvallis, Oregon. [pitfall grids for lizards]
- Corn, P. S. 1994. Straight-line drift fences and pitfall traps. Pages 109-117 *in* W. R. Heyer, M. A. Donnelly, R. W. McDiarmid, L. C. Hayek, and M. S. Foster, editors. *Measuring and monitoring biological diversity: standard methods for amphibians*. Smithsonian Institution Press, Washington, D.C.
- Crawford, E., and A. Kurta. 2000. Color of pitfall affects trapping success for anurans and shrews. *Herpetological Review* 31:222-224.
- Dodd, C. K., Jr. 1991. Drift fence-associated sampling bias of amphibians at a Florida sandhills temporary pond. *Journal of Herpetology* 25:296-301.
- Dodd, C. K., Jr., and D. E. Scott. 1994. Drift fences encircling breeding sites. Pages 125-130 *in* W. R. Heyer, M. A. Donnelly, R. W. McDiarmid, L. C. Hayek, and M. S. Foster, editors. *Measuring and monitoring biological diversity: standard methods for amphibians*. Smithsonian Institution Press, Washington, D.C.
- Gibbons, J. W., and D. H. Bennett. 1974. Determination of anuran terrestrial activity patterns by a drift fence method. *Copeia* 1974:236-243.
- Gibbons, J. W., and R. D. Semlitsch. 1981. Terrestrial drift fences with pitfall traps: an effective technique for quantitative sampling of animal populations. *Brimleyana* 7:1-6.
- Haan, S. S., and M. J. Desmond. 2005. Effectiveness of three capture methods for the terrestrial Sacramento Mountains salamander, *Aneides hardii*. *Herpetological Review* 36:143-145.
- Hobbs, T. J., S. R. Morton, P. Masters, and K. R. Jones. 1994. Influence of pit-trap design on sampling of reptiles in arid spinifex grasslands. *Wildlife Research* 21:483-490.
- Mazerolle, M. J. 2003. Using rims to hinder amphibian escape from pitfall traps. *Herpetological Review* 34:213-215.
- Mengak, M. T., and D. C. Gynn, Jr. 1987. Pitfalls and snap traps for sampling small mammals and herpetofauna. *American Midland Naturalist* 118:284-288.
(<http://www.jstor.org/view/00030031/di003521/00p02603/0>)

- Meshaka, W. E., Jr., and J. N. Layne. 2002. Herpetofauna of a long-unburned sandhill habitat in south-central Florida. *Florida Scientist* 65:35–50. [pitfall arrays]
- Shields, M. A. 1985. Selective use of pitfall traps by southern leopard frogs. *Herpetological Review* 16:14.
- Stevens, C. E., and C. A. Paszkowski. 2005. A comparison of two pitfall trap designs in sampling boreal anurans. *Herpetological Review* 36:147-149.

Funnel Trapping

- Burgdorf, S. J., D. C. Rudolph, R. N. Conner, D. Saenz, and R. R. Schaefer. 2005. A successful trap design for capturing large terrestrial snakes. *Herpetological Review* 36:421-424. [center box trap]
- Camper, J. D. 2005. Observations on problems with using funnel traps to sample semi-aquatic snakes. *Herpetological Review* 36:288-290.
- Casazza, M. L., G. D. Wylie, and C. J. Gregory. 2000. A funnel trap modification for surface collection of amphibians and reptiles. *Herpetological Review* 31:91-92.
- Christiansen, J. L., and T. Vandewalle. 2000. Effectiveness of three trap types in drift fence surveys. *Herpetological Review* 31:158-160.
- Clark, D. R., Jr. 1966. A funnel trap for small snakes. *Transactions of the Kansas Academy of Science* 69:91-95.
- Dargan, L. M., and W. H. Stickel. 1949. An experiment with snake trapping. *Copeia* 1949:264-268. [large funnel traps along fences]
- Dodd, C. K., Jr., and R. Franz. 1995. Seasonal abundance and habitat use of selected snakes trapped in xeric and mesic communities of north-central Florida. *Bulletin of the Florida Museum on Natural History* 38, Part I(2):43-67.
- Dyer, K. J. 2004. Habitat use and seasonal activity of selected snakes on John F. Kennedy Space Center, Florida. M.S. Thesis, University of Central Florida, Orlando, Florida. 42pp. [compares funnel traps and large box traps]
- Enge, K. M. 1997. Use of silt fencing and funnel traps for drift fences. *Herpetological Review* 28:30-31.
- Fitch, H. S. 1951. A simplified type of funnel trap for reptiles. *Herpetologica* 7:77-80.
- Franz, R. 1986. The Florida gopher frog and the Florida pine snake as burrow associates of the gopher tortoise in northern Florida. Pages 16–20 *in* Proceedings of the 5th Annual Meeting of the Gopher Tortoise Council, Gainesville, Florida. (http://www.gophertortoiseCouncil.org/dox/Franz_84.pdf)
- Graham, T., and A. Georges. 1996. Struts for collapsible funnel traps. *Herpetological Review* 27:189-190.
- Hall, R. J. 1967. A simplified live-trap for reptiles. *Transactions of the Kansas Academy of Science* 70:402-404.

- Imler, R. H. 1945. Bullsnares and their control on a Nebraska wildlife refuge. *Journal of Wildlife Management* 9:265-273.
- Mao, J.-J., K.-C. Yen, and G. Norval. 2004. A preliminary test and report of the efficiency of a new funnel trap for semi-aquatic snakes. *Herpetological Review* 35:350-351.
- Milstead, W. W. 1959. Drift-fence trapping of lizards on the Black Gap Wildlife Management Area of southwestern Texas. *Texas Journal of Science* 11:150-157.
- Row, J. R., and G. Blouin-Demers. 2006. An effective and durable funnel trap for sampling terrestrial herpetofauna. *Herpetological Review* 37:183-185.
(http://www.science.uottawa.ca/~gblou656/publications/024_2006_GBD.pdf)
- Vogt, W. 1941. A practical lizard trap. *Copeia* 1941:115.
- Willson, J. D., C. T. Winne, and L. A. Fedewa. 2005. Unveiling escape and capture rates of aquatic snakes and salamanders (*Siren* spp. and *Amphiuma means*) in commercial funnel traps. *Journal of Freshwater Ecology* 20:397-404. (http://www.uga.edu/srelherp/staff/JWillson2005_MTEscape.pdf)
- Winne, C. T. 2005. Increases in capture rates of an aquatic snake (*Seminatrix pygaea*) using naturally baited minnow traps: evidence for aquatic funnel trapping as a measure of foraging activity. *Herpetological Review* 36:411-413.

Comparing Funnel Traps vs. Pitfall Traps

- Campbell, H. W., and S. P. Christman. 1982. Field techniques for herpetofaunal community analysis. Pages 193-200 in N. J. Scott, Jr. editor. *Herpetological communities*. U.S. Fish and Wildlife Service Wildlife Research Report No. 13.
- Christiansen, J. L., and T. Vandewalle. 2000. Effectiveness of three trap types in drift fence surveys. *Herpetological Review* 31:158-160.
- Enge, K. M. 2001. The pitfalls of pitfall traps. *Journal of Herpetology* 35:467-478.
- Friend, G. R., G. T. Smith, D. S. Mitchell, and C. R. Dickman. 1989. Influence of pitfall and drift fence design on capture rates of small vertebrates on semi-arid habitats of Western Australia. *Australian Wildlife Research* 16:1-10.
- Greenberg, C. H., D. G. Neary, and L. D. Harris. 1994. A comparison of herpetofaunal sampling effectiveness of pitfall, single-ended, and double-ended funnel traps used with drift fences. *Journal of Herpetology* 28:319-324. (http://www.srs.fs.usda.gov/pubs/ja/ja_greenberg007.pdf)
- Jenkins, C. L., K. McGarigal, and L. R. Gamble. 2003. Comparative effectiveness of two trapping techniques for surveying the abundance and diversity of reptiles and amphibians along drift fence arrays. *Herpetological Review* 34:39-42.
- Lohofener, R., and J. Wolfe. 1984. A "new" live trap and a comparison with a pit-fall trap. *Herpetological Review* 15:25-26.
- Vogt, R. C., and R. L. Hine. 1982. Evaluation of techniques for assessment of amphibian and reptile

populations in Wisconsin. Pages 201-217 in N. J. Scott, Jr., editor. Herpetological communities. U.S. Fish and Wildlife Service, Wildlife Research Report 13.

Capturing Turtles and Tortoises

- Braid, M. R. 1974. A bal-chatri trap for basking turtles. *Copeia* 1974:539-540.
- Browne, C. L., and S. J. Hecnar. 2005. Capture success of northern map turtles (*Graptemys geographica*) and other turtle species in basking vs. baited hoop traps. *Herpetological Review* 36:145-147.
- Bryan, T. W., E. L. Blankenship, and C. Guyer. 1991. A new method of trapping gopher tortoises (*Gopherus polyphemus*). *Herpetological Review* 22:19-21.
- Chaney, A., and C. L. Smith. 1950. Methods for collecting map turtles. *Copeia* 1950:323-324.
- Feuer, R. C. 1980. Underwater traps for aquatic turtles. *Herpetological Review* 11:107-108.
- Frazer, N. B., J. W. Gibbons, and T. J. Owens. 1990. Turtle trapping: preliminary tests of conventional wisdom. *Copeia* 1990:1150-1152.
- Gamble, T. 2006. The relative efficiency of basking and hoop traps for painted turtles (*Chrysemys picta*). *Herpetological Review* 37:308-312.
- Glorioso, B. M., and M. L. Niemiller. 2006. Using deep-water crawfish nets to capture aquatic turtles. *Herpetological Review* 37:185-187.
- Iverson, J. B. 1979. Another inexpensive turtle trap. *Herpetological Review* 10:55.
- Jensen, J. B. 1998. Bait preferences of southeastern United States Coastal Plain riverine turtles: fish or fowl? *Chelonian Conservation and Biology* 3:109-111.
- Kennet, R. 1992. A new trap design for catching freshwater turtles. *Wildlife Research* 19:443-445.
- Kuchling, G. 2003. A new underwater trap for catching turtles. *Herpetological Review* 34:126-128.
- Lagler, K. F. 1943. Methods of collecting freshwater turtles. *Copeia* 1943:21-25.
- Legler, J. M. 1960. A simple and inexpensive device for trapping aquatic turtles. *Proceedings of the Utah Academy of Science, Arts, and Letters* 37:63-66.
- MacCulloch, R. D. 1978. A simple trap for basking turtles. *Herpetological Review* 9:133.
- Marchand, L. J. 1942. A contribution to the knowledge of the natural history of certain freshwater turtles. M.S. Thesis, University of Florida, Gainesville, Florida. 113pp.
- Marchand, L. J. 1945. Goggling: a new method for the study of turtles. *Copeia* 1945:37-40.
- Petokas, P. J., and M. M. Alexander. 1979. A new trap for basking turtles. *Herpetological Review* 10:90.

- Roosenberg, W. M., and J. P. Green. 2000. Impact of a bycatch reduction device on diamondback terrapin and blue crab capture in crab pots. *Ecological Applications* 10:882-889.
- Sharath, B. K., and S. N. Hegde. 2003. Two new traps for sampling the black pond turtle (*Melanochelys trijuga*) in the tropical rainforests of the Western Ghats. *Herpetological Review* 34:33-34.
- Tran, S. L., and D. L. Moorhead. 2006. A note on effective basking trap size. *Herpetological Review* 37:307.
- Vogt, R. C. 1980. New methods for trapping aquatic turtles. *Copeia* 1980:368-371.

Capturing Lizards and Snakes

- Allan, G. M., C. J. Prelypchan, and P. T. Gregory. 2000. "Habitat trap" for the capture of small- to medium-sized lizards. *Herpetological Review* 31:160-161.
- Bauer, A. M., and R. A. Sadlier. 1992. The use of mouse glue traps to capture lizards. *Herpetological Review* 23:112-113.
- Benedict, R. A., and M. C. Billeter. 2004. Discarded bottles as a cause of mortality in small vertebrates. *Southeastern Naturalist* 3:371-377.
- Bennett, D., K. Hampson, and V. Yngente. 2001. A noose trap for catching a large arboreal lizard, *Varanus olivaceus*. *Herpetological Review* 32:167-168.
- Brattstrom, B. H. 1996. The "skink scooper:" a device for catching leaf litter skinks. *Herpetological Review* 27:189.
- Corey, D. T., and W. T. McDowell. 1993. Notes on reptiles found in Sherman small mammal traps. *Bulletin of the Chicago Herpetological Society* 28:267-268.
- Doan, T. M. 1997. A new trap for the live capture of large lizards. *Herpetological Review* 28:79.
- Durden, L. A., E. M. Dotson, and G. N. Vogel. 1995. Two efficient techniques for catching skinks. *Herpetological Review* 26:137.
- Durtsche, R. D. 1996. A capture technique for small, smooth-scaled lizards. *Herpetological Review* 27:12-13.
- Engeman, R. M., and D. S. Vice. 2001. Objectives and integrated approaches for the control of brown tree snakes. *Integrated Pest Management Reviews* 6:59-76.
- Fair, W. S., and S. E. Henke. 1997. Efficacy of capture methods for a low density population of *Phrynosoma cornutum*. *Herpetological Review* 28:135-137.
- Glor, R. E., T. M. Townsend, M. E. Benard, and A. S. Flecker. 2000. Sampling reptile diversity in the West Indies with mouse glue-traps. *Herpetological Review* 31:88-90.
- Gluesenkamp, A. G. 1995. The snake rake: a new tool for collecting reptiles and amphibians. *Herpetological Review* 26:19.

- Goodman, B. A., and G. N. L. Peterson. 2005. A technique for sampling lizards in rocky habitats. *Herpetological Review* 36:41-43.
- Khabibullin, V. F., and M. V. Radygina. 2005. A new trap design to sample small terrestrial lizards. *Herpetological Review* 36:407-408.
- Knight, J. E. 1986. A humane method for removing snakes from dwellings. *Wildlife Society Bulletin* 14:301-303.
- Krysko, K. L. 2000. A fishing technique for collecting the introduced knight anole (*Anolis equestris*) in southern Florida. *Caribbean Journal of Science* 36:162. [fishing with live crickets on a hook] (http://academic.uprm.edu/publications/cjs/Vol36a/36_162-162.pdf)
- Linnell, M. A., R. M. Engeman, M. E. Pitzler, M. O. Watten, G. F. Whitehead, and R. C. Miller. 1998. An evaluation of two designs of stamped metal trap flaps for use in the operational control of brown tree snakes (*Boiga irregularis*). *The Snake* 28:14-18.
- Lutterschmidt, W. I., and J. F. Schaefer. 1996. Mist netting: adapting a technique from ornithology for sampling semi-aquatic snake populations. *Herpetological Review* 27:131-132.
- Reed, R. N., J. M. Morton, and G. E. Desy. 2000. Use of monofilament snare traps for capture of varanid lizards. *Micronesia* 33:99-104.
- Rodda, G. H., K. Dean-Bradley, and T. H. Fritts. 2005. Glue-boards for estimating lizard abundance. *Herpetological Review* 36:252-259.
- Rodda, G. H., and T. H. Fritts. 1992. Sampling techniques for an arboreal snake, *Boiga irregularis*. *Micronesia* 25:23-40.
- Rodda, G. H., M. J. McCoid, and T. H. Fritts. 1993. Adhesive trapping II. *Herpetological Review* 24:99-100.
- Rodgers, T. L. 1939. A lizard live-trap. *Copeia* 1939:51. [buried trapdoor box trap]
- Sievert, G. A., P. T. Andreadis, and T. S. Campbell. 1999. A simple device for safely capturing herpetofauna from roads: the "Herp Scoop". *Herpetological Review* 30:156-?
- Smith, J. 2004. Fish and company smell after three days: increasing capture rates of carrion-eating varanid lizards. *Herpetological Review* 35:41-43.
- Strong, D., B. Leatherman, and B. H. Brattstrom. 1993. Two new simple methods for catching fast lizards. *Herpetological Review* 24:22-23.
- Stuart, J. N., M. L. Watson, T. L. Brown, and C. Eustice. 2001. Plastic netting: an entanglement hazard to snakes and other wildlife. *Herpetological Review* 32:162-164.
- Temby, I. D., and R. M. Engeman. 2006. A test of targeted and passive capture of Australian elapids with a brown tree snake trap. *Journal for Nature Conservation* 14:127-128. (<http://www.aphis.usda.gov/ws/nwrc/is/06pubs/engeman064.pdf>)
- Vice, D. S., R. M. Engeman, and D. L. Vice. 2005. A comparison of three trap designs for capturing brown treesnakes on Guam. *Wildlife Research* 32:355-359.

- Whiting, M. J. 1998. Increasing lizard capture success using baited glue traps. *Herpetological Review* 29:34
- Witz, B. W. 1996. A new device for capturing small and medium-sized lizards by hand: the lizard grabber. *Herpetological Review* 27:130-131.
- Zani, P. A., and L. J. Vitt. 1995. Techniques for capturing arboreal lizards. *Herpetological Review* 26:136-137.
- Ziegler, T. 1999. A Vietnamese trapping technique for capturing butterfly lizards (*Leiolepis*). *Herpetological Review* 30:153-154.

PVC Pipe Trapping of Hylids

- Bartareau, T. M. 2004. PVC pipe diameter influences the species and sizes of treefrogs captured in a Florida coastal oak scrub community. *Herpetological Review* 35:150-152.
- Boughton, R. G., J. Staiger, and R. Franz. 2000. Use of PVC pipe refugia as a sampling technique for hylid treefrogs. *American Midland Naturalist* 144:168-177.
(<http://www.jstor.org/view/00030031/sp030003/03x0042p/0>)
- Domingue O'Neill, E., and R. G. Boughton. 2001. PVC pipe refugia: a sampling method for studying treefrogs. NAAMP III Archive – new techniques. U.S. Geological Survey, Patuxent Wildlife Research Center. (<http://www.pwrc.usgs.gov/naamp3/papers/10n.html>)
- Johnson, J. R. 2005. A novel arboreal pipe-trap designed to capture the gray treefrog (*Hyla versicolor*). *Herpetological Review* 36:274-277.
- Moulton, C. A., W. J. Fleming, and B. R. Nerney. 1996. The use of PVC pipes to capture hylid frogs. *Herpetological Review* 27:186-187.
- Staiger, J. S., L. L. Smith, W. J. Barichivich, and C. K. Dodd, Jr. 2002. Using artificial refugia to sample hylid frogs in Okefenokee National Wildlife Refuge. U.S. Geological Survey, FISC – Center for Aquatic Resource Studies.
(http://cars.er.usgs.gov/posters/Herpetology/Artificial_Refugia/artificial_refugia.html)
- Zacharow, M. 2002. Effectiveness of PVC pipes in monitoring hylid treefrogs at a mesic hammock-open pond ecotone in north-central Florida. Senior Thesis, College of Natural Resources and the Environment, University of Florida, Gainesville, Florida. 34pp.
(http://cars.er.usgs.gov/posters/Herpetology/Effectiveness_of_PVC/effectiveness_of_pvc.html)
- Zacharow, M., W. J. Barichivich, and C. K. Dodd, Jr. 2003. Using ground-placed PVC pipes to monitor hylid treefrogs: capture biases. *Southeastern Naturalist* 2:575–590.

Anuran Call Surveys

- Acevedoa, M. A., and J. J. Villanueva-Riverab. 2006. Using automated digital recording systems as effective tools for the monitoring of birds and amphibians. *Wildlife Society Bulletin* 34:211–214.

- Barichivich, W. J. 2003. Guidelines for building and operating remote field recorders (automated frog call data loggers). Pages 87-96 in C. K. Dodd, Jr. *Monitoring amphibians in Great Smoky Mountains National Park*. U.S. Geological Survey Circular No. 1258, Gainesville, Florida. (<http://cars.er.usgs.gov/AppendixIV.pdf>)
- Bridges, A. S., and M. E. Dorcas. 2000. Temporal variation in anuran calling behavior: implications for surveys and monitoring programs. *Copeia* 2000:587-592. (<http://www.bio.davidson.edu/people/midorcas/research/herppub-pres/dorcas-pdfs/BridgesandDorcas2000.pdf>)
- Corn, P. S., E. Muths, and W. M. Iko. 2000. A comparison in Colorado of three methods to monitor breeding amphibians. *Northwestern Naturalist* 81:22-30. [call surveys, automated recorders, intensive surveys]
- Crouch, W. B., III., and P. W. C. Paton. 2002. Assessing the use of call surveys to monitor breeding anurans in Rhode Island. *Journal of Herpetology* 36:185-192.
- Droege, S., and P. Eagle. 2005. Evaluating calling surveys. Pages 314-319 in M. Lannoo, editor. *Amphibian declines*. University of California Press, Los Angeles.
- Gooch, M. M., A. M. Heupel, S. J. Price and M. E. Dorcas. 2006. The effects of survey protocol on detection probabilities and site occupancy estimates of summer breeding anurans. *Applied Herpetology* 3: 129-142. (<http://www.bio.davidson.edu/people/midorcas/research/herppub-pres/dorcas-pdfs/Gooch%20et%20al%20-%20Anuran%20Detectability%20-%20Applied%20Herpetology%202006%20-%20APHE1055.pdf>)
- Jung, R. E., K. E. Bonine, M. L. Rosenshield, A. de la Reza, S. Raimondo, and S. Droege. 2002. Evaluation of canoe surveys for anurans along the Rio Grande in Big Bend National Park, Texas. *Journal of Herpetology* 36:390-397.
- Mohr, J. R., and M. E. Dorcas. 1999. A comparison of anuran calling patterns at two Carolina bays in South Carolina. *Journal of the Elisha Mitchell Scientific Society* 115:63-70.
- Mossman, M. J., and R. Hine. 1984. The Wisconsin frog and toad survey: establishing a long-term monitoring program. Wisconsin Endangered Resources Report 9, Bureau of Endangered Resources, Wisconsin Department of Natural Resources, Madison, Wisconsin.
- Pellet, J., and B. R. Schmidt. 2005. Monitoring distributions using call surveys: estimating site occupancy, detection probabilities and inferring absence. *Biological Conservation* 123:27-35.
- Peterson, C. R., and M. E. Dorcas. 1994. Automated data acquisition. Pages 47-57 in W. R. Heyer, M. A. Donnelly, R. W. McDiarmid, L. C. Hayek, and M. S. Foster, editors. *Measuring and monitoring biological diversity: standard methods for amphibians*. Smithsonian Institution Press, Washington, D.C.
- Pieterse, E. C., L. M. Addison, J. N. Agobian, B. Brooks-Solveson, J. Cassani, and E. M. Everham III. 2006. Five years of the Southwest Florida Frog Monitoring Network: changes in frog communities as an indicator of landscape change. *Florida Scientist* 69:117-126.
- Shirose, L. J., C. A. Bishop, D. M. Green, C. J. MacDonald, R. J. Brooks, and N. J. Helferty. 1997. Validation tests of an amphibian call count survey technique in Ontario, Canada. *Herpetologica*

53:312-320.

Wier, L. A., and M. J. Mossman. 2005. North American Amphibian Monitoring Program (NAAMP). Pages 307-313 in M. Lannoo, editor. Amphibian declines. University of California Press, Los Angeles.

Weir, L. A., J. A. Royle, P. Nanjappa, and R. E. Jung. 2005. Modeling anuran detection and site occupancy on North American Amphibian Monitoring Program (NAAMP) routes in Maryland. *Journal of Herpetology* 39:627-639.

Zimmerman, B. L. 1994. Visual encounter surveys. Pages 92-97 in W. R. Heyer, M. A. Donnelly, R. W. McDiarmid, L. C. Hayek, and M. S. Foster, editors. Measuring and monitoring biological diversity: standard methods for amphibians. Smithsonian Institution Press, Washington, D.C.

Artificial Cover Object (Coverboard)

Barker, M. A., and D. D. Hobson. 1996. Artificial refuges with transects as a possible reptile survey methodology. *British Herpetological Society Bulletin* No. 55:8-14.

Bonin, J. and Y. Bachand. 1997. The use of artificial covers to survey terrestrial salamanders in Québec. *Herpetological Conservation* 1:175-179.

Davis, T. M. 1997. Nondisruptive monitoring of terrestrial salamanders with artificial cover objects on southern Vancouver Island, British Columbia. *Herpetological Conservation* 1:161-174.

DeGraaf, R. M., and M. Yamasaki. 1992. A nondestructive technique to monitor the relative abundance of terrestrial salamanders. *Wildlife Society Bulletin* 20:260-264.

Engelstoft, C., and K. E. Ovaska. 2000. Artificial cover-objects as a method for sampling snakes (*Contia tenuis* and *Thamnophis* spp.) in British Columbia. *Northwestern Naturalist* 81:35-43.

Fellers, G.M. and C.A. Drost. 1994. Sampling with artificial cover. Pages 146-150 in W. R. Heyer, M. A. Donnelly, R. W. McDiarmid, L. C. Hayek, and M. S. Foster, editors. Measuring and monitoring biological diversity: standard methods for amphibians. Smithsonian Institution Press, Washington, D.C.

Grant, B. W., A. D. Tucker, J. E. Lovich, A. M. Mills, P. M. Dixon, and J. W. Gibbons. 1992. The use of coverboards in estimating patterns of reptile and amphibian biodiversity. Pages 379-403 in D. R. McCullough and R. H. Barrett, editors. *Wildlife 2001: populations*. Elsevier Applied Science, New York, New York.

Houze, C. M., Jr., and C. R. Chandler. 2002. Evaluation of coverboards for sampling terrestrial salamanders in south Georgia. *Journal of Herpetology* 36:75-81.

Marsh, D. M., and M. A. Goicochea. 2003. Monitoring terrestrial salamanders: biases caused by intense sampling and choice of cover objects. *Journal of Herpetology* 37:460-466.

- Monti, L., M. Hunter Jr., and J. Witham. 2000. An evaluation of the artificial cover object (ACO) method for monitoring populations of the redback salamander *Plethodon cinereus*. *Journal of Herpetology* 34:624-629.
- Moore, J. 2005. Use of native dominant wood as a new coverboard type for monitoring eastern red-backed salamanders. *Herpetological Review* 36:268-271.
(<http://www.mrnf.gouv.qc.ca/publications/forets/connaissances/recherche/Moore-Jean-David/Herpet-review-36-3-268-271.pdf>)
- Olson, D. J., and R. E. Warner. 2003. Comparison of artificial cover and line transects for the capture of grassland snakes. *Herpetological Review* 34:215-218.
- Parmelee, J. R., and H. S. Fitch. 1995. An experiment with artificial shelters for snakes: effects of material, age, and surface preparation. *Herpetological Natural History* 3:187-191.
- Sutton, P. E., H. R. Mushinsky, and E. D. McCoy. 1999. Comparing the use of pitfall drift fences and cover boards for sampling the threatened sand skink (*Neoseps reynoldsi*). *Herpetological Review* 30:149-151.
- Tietje, W. D., and J. K. Vreeland. 1997. The use of plywood coverboards to sample herpetofauna in a California oak woodland. *Transactions of the Western Section of The Wildlife Society* 33:67-74.

Road Surveys

- Andrews, K. M., and J. W. Gibbons. 2005. How do highways influence snake movement? Behavioral responses to roads and vehicles. *Copeia* 2005:772-782.
- Antworth, R. L., D. A. Pike, and E. E. Stevens. 2005. Hit and run: effects of scavenging on estimates of roadkilled vertebrates. *Southeastern Naturalist* 4:647-656.
- Aresco, M. J. 2003. Highway mortality of turtles and other herpetofauna at Lake Jackson, Florida, USA, and the efficacy of a temporary fence/culvert system to reduce roadkills. Pages 433-449 in C. L. Irwin, P. Garrett, and K. P. McDermott, editors. 2003 Proceedings of the International Conference on Ecology and Transportation, Center for Transportation and the Environment, North Carolina State University, Raleigh, North Carolina.
(<http://repositories.cdlib.org/cgi/viewcontent.cgi?article=1115&context=jmie/roadeco>)
- Aresco, M. J. 2005. The effect of sex-specific terrestrial movements and roads on the sex ratio of freshwater turtles. *Biological Conservation* 123:37-44.
(http://www.lakejacksonturtles.org/SexRatioandRoads_Aresco.pdf)
- Barichivich, W. J., and C. K. Dodd, Jr. 2002. The effectiveness of wildlife barriers and underpasses on U.S. Highway 441 across Paynes Prairie State Preserve, Alachua County, Florida. Phase II post-construction. Final Report, Florida Caribbean Science Center, Gainesville, Florida. Florida Department of Transportation Contract No. BB-854. 36pp.
- Bernardino, F. S. 1990. Seasonal activity and road mortality of the snakes of the Pa-hay-okee wetlands of Everglades National Park. M.S. Thesis, Florida International University, Miami, Florida. 36pp.
- Bernardino, F. S., Jr., and G. H. Dalrymple. 1992. Seasonal activity and road mortality of the snakes of

- the Pa-hay-okee wetlands of Everglades National Park, USA. *Biological Conservation* 62:71–75.
- Bonnet, X., G. Naulleau, and R. Shine. 1999. The dangers of leaving home: dispersal and mortality in snakes. *Biological Conservation* 89:39-50.
- Bugbee, R. E. 1945. A note on the mortality of snakes on highways in western Kansas. *Transactions of the Kansas Academy of Science* 47:373-374.
- Cristoffer, C. 1991. Road mortalities of northern Florida vertebrates. *Florida Scientist* 54:65–68.
- Dalrymple, G. H. 1996. Snake community composition and use of the main park road in the Pahayokee region of Everglades National Park during high water conditions in 1995. Pages 71–76 *in* Proceedings of the conference on ecological assessment of the 1994–1995 water conditions in the southern Everglades, 22–23 August 1996, Florida International University, Miami, Florida.
- Dodd, C. K., Jr., W. J. Barichivich, and L. L. Smith. 2004. Effectiveness of a barrier wall and culverts in reducing wildlife mortality on a heavily traveled highway in Florida. *Biological Conservation* 118:619–631. (http://www.cnah.org/pdf_files/176.pdf)
- Dodd, C. K., Jr., K. M. Enge, and J. N. Stuart. 1989. Reptiles on highways in north-central Alabama, USA. *Journal of Herpetology* 23:197-200.
- Enge, K. M., and K. N. Wood. 2002. A pedestrian road survey of an upland snake community in Florida. *Southeastern Naturalist* 1:365–380.
- Enge, K. M., and K. N. Wood. 2003. A pedestrian road survey of the southern hognose snake (*Heterodon simus*) in Hernando County, Florida. *Florida Scientist* 66:189–203.
- Hellman, R. E., and S. R. Telford. 1956. Notes on a large number of red-bellied mudsnakes, *Farancia a. abacura*, from northcentral Florida. *Copeia* 1956:257-258.
- Langton, T. E. S., editor. 1989. Amphibians and roads. ACO Polymer Products, Shefford, Bedfordshire, England. 202pp.
- Main, M. B., and G. M. Allen. 2002. Landscape and seasonal influences on roadkill of wildlife in southwest Florida. *Florida Scientist* 65:149–158.
- McClure, H. E. 1951. An analysis of animal victims on Nebraska's highways. *Journal of Wildlife Management* 15:410-420.
- Mendelson, J. R., III, and W. B. Jennings. 1992. Shifts in the relative abundance of snakes in a desert grassland. *Journal of Herpetology* 26:38-45.
- Rosen, P. C., and C. H. Lowe. 1994. Highway mortality of snakes in the Sonoran Desert of southern Arizona. *Biological Conservation* 68:143-148.
- Scott, T. G. 1938. Wildlife mortality on Iowa highways. *American Midland Naturalist* 20:527-539. (<http://www.jstor.org/view/00030031/di003295/00p01055/0>)
- Seibert, H. C., and J. H. Conover. 1991. Mortality of vertebrates and invertebrates on an Athens County, Ohio, highway. *Ohio Journal of Science* 91:163-166.

- Shaffer, H. B., and J. E. Juterbock. 1994. Night driving. Pages 163-166 in W. R. Heyer, M. A. Donnelly, R. W. McDiarmid, L. C. Hayek, and M. S. Foster, editors. *Measuring and monitoring biological diversity: standard methods for amphibians*. Smithsonian Institution Press, Washington, D.C.
- Smith, L. L., and C. K. Dodd, Jr. 2003. Wildlife mortality on U.S. Highway 441 across Paynes Prairie, Alachua County, Florida. *Florida Scientist* 66:128-140 (http://www.cnah.org/pdf_files/177.pdf)
- Smith, L. L., K. G. Smith, J. Barichivich, C. K. Dodd, Jr., and K. Sorensen. 2005. Roads and Florida's herpetofauna: a review and mitigation case study. Pages 32-40 in W. E. Meshaka, Jr., and K. J. Babbitt, editors. *Amphibians and reptiles: status and conservation in Florida*. Krieger, Malabar, Florida.
- Sullivan, B. K. 2000. Long-term shifts in snake populations: a California site revisited. *Biological Conservation* 94:321-325.

Other Surveys (Visual Encounter, Quadrat, Transect, Time-constrained, Basking, Pipeline Trench)

- Bider, J. R. 1968. Animal activity in uncontrolled terrestrial communities as determined by a sand transect technique. *Ecological Monographs* 38:269-308.
- Blamires, S. J. 2000. Estimating the number of *Varanus* inhabiting an Australian tropical beach from track characteristics. *Herpetological Review* 31:155-158.
- Brode, W. E., and P. Allison. 1958. Burrowing snakes of the Panhandle counties of Mississippi. *Herpetologica* 14:37-40.
- Crump, M. L., and N. J. Scott, Jr. 1994. Visual encounter surveys. Pages 84-92 in W. R. Heyer, M. A. Donnelly, R. W. McDiarmid, L. C. Hayek, and M. S. Foster, editors. *Measuring and monitoring biological diversity: standard methods for amphibians*. Smithsonian Institution Press, Washington, D.C.
- Dodd, C. K., Jr. 1990. Line transect estimation of Red Hills salamander burrow density using a Fourier series. *Copeia* 1990:555-557.
- Donnelly, M. A., C. J. Farrell, M. J. Baber, and J. L. Glenn. 2001. The amphibians and reptiles of the Kissimmee River. I. Patterns of abundance and occurrence in altered floodplain habitats. *Herpetological Natural History* 8:161-170.
- Enge, K. M., D. T. Cobb, G. L. Sprandel, and D. L. Francis. 1996. Wildlife captures in a pipeline trench in Gadsden County, Florida. *Florida Scientist* 59:1-11.
- Harvey, D. S. 2005. Detectability of a large-bodied snake (*Sistrurus c. catenatus*) by time-constrained searching. *Herpetological Review* 36:413-415.
- Jaeger, R. G. 1994. Patch sampling. Pages 107-109 in W. R. Heyer, M. A. Donnelly, R. W. McDiarmid, L. C. Hayek, and M. S. Foster, editors. *Measuring and monitoring biological diversity: standard methods for amphibians*. Smithsonian Institution Press, Washington, D.C.

- Jaeger, R. G. 1994. Transect sampling. Pages 103-107 in W. R. Heyer, M. A. Donnelly, R. W. McDiarmid, L. C. Hayek, and M. S. Foster, editors. Measuring and monitoring biological diversity: standard methods for amphibians. Smithsonian Institution Press, Washington, D.C.
- Jaeger, R. G., and R. G. Inger. 1994. Quadrat sampling. Pages 97-102 in W. R. Heyer, M. A. Donnelly, R. W. McDiarmid, L. C. Hayek, and M. S. Foster, editors. Measuring and monitoring biological diversity: standard methods for amphibians. Smithsonian Institution Press, Washington, D.C.
- Krysko, K. L. 2002. Seasonal activity of the Florida kingsnake *Lampropeltis getula floridana* (Serpentes: Colubridae) in southern Florida. American Midland Naturalist 148:102-114. [walking canal banks] (http://www.naherpetology.org/pdf_files/59.pdf)
- Lacki, M. J., J. W. Hummer, and J. L. Fitzgerald. 1994. Application of line transects for estimating population density of the endangered copperbelly water snake in southern Indiana. Journal of Herpetology 28:241-245.
- Lindeman, P. V. 1997. A comparative spotting-scope study of the distribution and relative abundance of river cooters (*Pseudemys concinna*) in western Kentucky and southern Mississippi. Chelonian Conservation and Biology 2:378-383.
- Lindeman, P. V. 1999. Surveys of basking map turtles *Graptemys* spp. in three river drainages and the importance of deadwood abundance. Biological Conservation 88:33-42.
- Mann, T. M. 1995. Population surveys for diamondback terrapin (*Malaclemys terrapin*) and Gulf salt marsh snakes (*Nerodia clarkii*) in Mississippi. Mississippi Museum of Natural Science Technical Report No. 37, Jackson, Mississippi.
- Noona, B. R., N. M. Ishwarb, and K. Vasudevanc. 2006. Efficiency of adaptive cluster and random sampling in detecting terrestrial herpetofauna in a tropical rainforest. Wildlife Society Bulletin 34:59-68.
- Rodda, G. H., and E. W. Campbell. 2002. Distance sampling of forest snakes and lizards. Herpetological Review 33:271-274.
- Rodda, G. H., E. W. Campbell III, T. H. Fritts, and C. S. Clark. 2005. The predictive power of visual searching. Herpetological Review 36:259-264.
- Scott, N. J., Jr. 1976. The abundance and diversity of the herpetofauna of tropical forest litter. Biotropica 9:41-58.
- Stevenson, D. J., K. J. Dyer, and B. A. Willis-Stevenson. 2003. Survey and monitoring of the eastern indigo snake in Georgia. Southeastern Naturalist 2:393-408. [winter survey near tortoise burrows]
- Tinkle, D. W. 1959. Observations of reptiles and amphibians in a Louisiana swamp. American Midland Naturalist 62:189-205. [pipeline trench] (<http://www.jstor.org/view/00030031/di003407/00p0100b/0>)
- White, L. B., Jr. 1960. Notes on collecting in North Carolina pine plantations. Copeia 1960:49-50. [stumps/snags]

Woinarski, J. C. Z., M. Armstrong, K. Brennan, F. Connors, D. Milne, G. McKenzie, and K. Edwards, K. 2000. A different fauna?: captures of vertebrates in a pipeline trench, compared with conventional survey techniques; and a consideration of mortality patterns in a pipeline trench. *Australian Zoologist* 31:421-431.

Multiple Sampling Methods and Comparisons

Adams, J. D., and B. Freedman. 1999. Comparative catch efficiency of amphibian sampling methods in terrestrial habitats in southern New Brunswick. *Canadian Field-Naturalist* 113:493-496. [pitfall transects, pitfall arrays, quadrat searches, time-constrained searches]

Brown, L. J. 1997. An evaluation of some marking and trapping techniques currently used in the study of anuran population dynamics. *Journal of Herpetology* 31:410-419. [pitfalls, visual surveys]

Buech, R. R., and L. M. Egeland. 2002. A comparison of the efficacy of survey methods for amphibians breeding in small forest ponds. *Herpetological Review* 33:275-280. [call surveys, dipnet surveys, funnel traps]

Corn, P. S., and R. B. Bury. 1990. Sampling methods for terrestrial amphibians and reptiles. USDA Forest Service, Pacific Northwest Research Station General Technical Report PNW-GTR-256, Portland, Oregon. 34pp.

Crosswhite, D. L., S. F. Fox, and R. E. Thill. 1999. Comparison of methods for monitoring reptiles and amphibians in upland forests of the Ouachita Mountains. *Proceedings of the Oklahoma Academy of Science* 79:45-50. [time-constrained searches, pitfalls and funnel traps along drift fences, funnel traps] (http://digital.library.okstate.edu/OAS/oas_pdf/v79/p45_50.pdf)

Doan, T. M. 2003. Which methods are most effective for surveying rain-forest herpetofauna? *Journal of Herpetology* 37:72-81. [quadrat searches, visual surveys]

Dodd, C. K., Jr. 2003. Monitoring amphibians in Great Smoky Mountains National Park. U.S. Geological Survey Circular No. 1258, Gainesville, Florida. 118pp.

Domingue O'Neill, E. 1995. Amphibian and reptile communities of temporary ponds in a managed pine flatwood. M.S. Thesis, University of Florida, Gainesville, Florida. 106pp. [PVC pipes and funnel traps along fences]

Enge, K. M., M. S. Robson, and K. L. Krysko. 2004. Reptile surveys of pine rockland habitat in six Miami-Dade County parks. *Florida Scientist* 67:194-204. [quadrat searches, time-constrained sampling] (http://www.naherpetology.org/pdf_files/179.pdf)

Fitch, H. S. 1992. Methods of sampling snake populations and their relative success. *Herpetological Review* 23:17-19. [funnel traps, artificial cover, visual surveys]

Florida Game and Fresh Water Fish Commission. 1976. Cross Florida Barge Canal restudy report: wildlife study. Volume II, Appendix B: herpetology study. Department of the Army Corps of Engineers, Jacksonville, Florida. 217pp. [time-constrained searches, quadrat searches, drift fences with pitfalls and funnel traps]

- Halliday, T. R. Amphibians. Pages 205-217 in W. J. Sutherland, editor. Ecological census techniques. A handbook. Cambridge University Press.
- Hsu, M.-Y., Y.-C. Kam, and G. M. Fellers. 2005. Effectiveness of amphibian monitoring techniques in a Taiwanese subtropical forest. *Herpetological Journal* 15:73-79. [pitfalls, automated recorders, visual surveys]
- Jones, K. B. 1986. Amphibians and reptiles. Pages 267-290 in A. Y. Cooperrider, R. J. Boyd, and H. R. Stuart. Inventory and monitoring of wildlife habitat. U.S. Department of the Interior, Bureau of Land Management, Denver Service Center, Denver, Colorado.
- Jorgensen, E. E., M. Vogel, and S. Demarais. 1998. A comparison of trap effectiveness for reptile sampling. *Texas Journal of Science* 50:235-242. [drift fences with pitfalls and funnel traps, artificial cover]
- Karns, D. R. 1986. Field herpetology: methods for the study of amphibians and reptiles in Minnesota. James Ford Bell Museum of Natural History Occasional Paper No. 18, University of Minnesota, Minneapolis, Minnesota. 88pp.
- Kjoss, V. A., and J. A. Litvaitis. 2001. Community structure of snakes in a human-dominated landscape. *Biological Conservation* 98:285-292. [artificial cover, drift fences]
- Mitchell, J. C., S. Y. Erdl, and J. F. Pagels. 1993. Evaluation of capture techniques for amphibian, reptile, and small mammal communities in saturated forest wetlands. *Wetlands* 13:130-136. [pitfalls, pitfalls along fences, artificial cover]
- Olson, D. J., and R. E. Warner. 2003. Comparison of artificial cover and line transects for the capture of grassland snakes. *Herpetological Review* 34:215-218. [artificial cover, line transects]
- Parris, K. M. 1999. Review: amphibian surveys in forests and woodlands. *Contemporary Herpetology* No. 1 (<http://www.cnah.org/ch/ch/1999/1/index.htm>).
- Parris, K. M., T. W. Norton, and R. B. Cunningham. 1999. A comparison of techniques for sampling amphibians in the forests of south-east Queensland, Australia. *Herpetologica* 55:271-283. [visual surveys, pitfalls along fences, automated recorders]
- Paszkowski, C. A., G. Scrimgeour, B. A. Gingras, and S. Kendall. 2002. A comparison of techniques for assessing amphibian assemblages on streams in the western boreal forest. *Canadian Field-Naturalist* 116:116-119. [pitfalls, funnel traps, call surveys, visual surveys]
- Pearman, P. B., A. M. Velasco, and A. Lopez. 1995. Tropical amphibian monitoring: a comparison of methods for detecting inter-site variation in species' composition. *Herpetologica* 51:325-337. [visual surveys, artificial cover, artificial ponds]
- Phelps, J. P., and R. A. Lancia. 1995. Effects of a clearcut on the herpetofauna of a South Carolina bottomland swamp. *Brimleyana* 22:31-45. [pitfalls along fences, artificial cover, PVC pipes]
- Reading, C. J. 1997. A proposed standard method for surveying reptiles on dry lowland heath. *Journal of Applied Ecology* 34:1057-1069. [artificial cover, visual surveys] (<http://www.jstor.org/view/00218901/di996084/99p0292h/0>)

- Smith, L. L., W. J. Barichivich, J. S. Staiger, K. G. Smith, and C. K. Dodd, Jr. 2006. Detection probabilities and site occupancy estimates for amphibians at Okefenokee National Wildlife Refuge. *American Midland Naturalist* 155:149–161.
- Sutton, P. E., H. R. Mushinsky, and E. D. McCoy. 1999. Comparing the use of pitfall drift fences and cover boards for sampling the threatened sand skink (*Neoseps reynoldsi*). *Herpetological Review* 30:149-151. [pitfalls, artificial cover]
- Willson, J. D., and M. E. Dorcas. 2004. Aspects of the ecology of small fossorial snakes in the western Piedmont of North Carolina. *Southeastern Naturalist* 3:1-12. [pitfalls along fences, artificial cover, incidental captures] (<http://www.uga.edu/srelherp/staff/JWillson2004-small%20snakes.pdf>)

Drift-fence Methodology and Material

- Arntzen, J. W., R. S. Oldham, and D. M. Latham. 1995. Cost effective drift fences for toads and newts. *Amphibia-Reptilia* 16:137-145.
- Campbell, H. W., and S. P. Christman. 1982. Field techniques for herpetofaunal community analysis. Pages 193–200 in N. J. Scott, Jr. editor. *Herpetological communities*. U.S. Fish and Wildlife Service Wildlife Research Report No. 13.
- Enge, K. M. 1997. A standardized protocol for drift-fence surveys. Florida Game and Fresh Water Fish Commission Technical Report No. 14, Tallahassee, Florida. 68pp. (http://research.myfwc.com/publications/publication_info.asp?id=48838)
- Enge, K. M. 1997. Use of silt fencing and funnel traps for drift fences. *Herpetological Review* 28:30–31.
- Jones, K. B. 1981. Effects of grazing on lizard abundance and diversity in western Arizona. *Southwestern Naturalist* 26:107-115.
- Malone, J. H., and D. Laurencio. 2004. The use of polystyrene for drift fence sampling in a tropical forest. *Herpetological Review* 35:142-143.
- Middendorf, G. A. 1979. An inexpensive method of construction for enclosures and fences. *Herpetological Review* 10:7.
- Murphy, C. G. 1993. A modified drift fence for capturing treefrogs. *Herpetological Review* 24:143-145.
- Storm, R.M., and R.A. Pimental. 1954. A method of studying amphibian breeding populations. *Herpetologica* 10:161-165. [fences encircling wetlands]
- Vogt, R. C. 1987. You can set drift fences in the canopy! *Herpetological Review* 18:13-14.
- Vogt, R. C., and R. L. Hine. 1982. Evaluation of techniques for assessment of amphibian and reptile populations in Wisconsin. Pages 201-217 in N. J. Scott, Jr., editor. *Herpetological communities*. U.S. Fish and Wildlife Service, Wildlife Research Report 13.
- Zug, G. R., W. Z. Lhon, T. Z. Min, K. Kyaw, T. Thin, H. Win, M. T. D. Nyein, and K. T. Tun. 2001. Durability of silt-fencing for drift-fence arrays at a tropical site. *Herpetological Review* 32:235-236.

Minimizing Trap Mortality

- Daost, J.-L. 1991. Coping with dehydration of trapped terrestrial anurans. *Herpetological Review* 22:95.
- Ferguson, A. W., and M. R. J. Forstner. 2006. A device for excluding predators from pitfall traps. *Herpetological Review* 37:316-317.
- Hobbs, T. J., and C. D. James. 1999. Influence of shade covers on pitfall trap temperatures and capture success of reptiles and small mammals in arid Australia. *Wildlife Research* 26:341-349.
- Ives, T. T., Jr., and J. R. Schiller. 2001. Comparative study of capture efficiency and mortality of five-lined skink, *Eumeces fasciatus*, using pitfall, funnel, and modified glue traps. *Journal of the Tennessee Academy of Science* 76(1):34 (abstract).
- Karraker, N. E. 2001. String theory: reducing mortality of mammals in pitfall traps. *Wildlife Society Bulletin* 29:1158-1162. (<http://www.fs.fed.us/psw/publications/karraker/karraker4.pdf>)
- Kogut, N., and W. D. Padley. 1997. A method for reducing mortalities in pitfall traps. *Transactions of the Western Section of The Wildlife Society* 33:75-78.
- Lowry, M. B., B. C. Pease, K. Graham, and T. R. Walford. 2005. Reducing the mortality of freshwater turtles in commercial fish traps. *Aquatic Conservation: Marine and Freshwater Ecosystems* 15:7-21.
- Padgett-Flohr, G. E., and M. R. Jennings. 2001. An economical safe-house for small mammals in pitfall traps. *California Fish and Game* 87:72-74.
- Perkins, D. W., and M. L. Hunter, Jr. 2002. Effects of placing sticks in pitfall traps on amphibian and small mammal capture rates. *Herpetological Review* 33:282-284.

Monitoring Using Cameras

- Alexy, K. J., K. J. Brunjes, J. W. Gassett, and K. V. Miller. 2003. Continuous remote monitoring of gopher tortoise burrow use. *Wildlife Society Bulletin* 31:1240-1243.
- Boland, C. R. J., and R. M. Phillips. 2005. A small, lightweight, and inexpensive "burrowscope" for viewing nest contents of tunnel-nesting birds. *Journal of Field Ornithology* 76:21-26.
- Pike, D. A., and A. Grosse. 2006. Daily activity of immature gopher tortoises (*Gopherus polyphemus*) with notes on commensal species. *Florida Scientist* 69:92-98.
- Staller, E. L., W. E. Palmer, J. P. Carroll, R. R. Thornton, D. C. Sisson, and R. P. Thornton. 2005. Identifying predators at northern bobwhite nests. *Journal of Wildlife Management* 69:124-132.

Prepared by:

Kevin Enge, Herp Taxa Coordinator
 Florida Fish and Wildlife Conservation Commission
 5300 High Bridge Road, Quincy, FL 32351 (Kevin.Eng@myfwc.com)